



GRILL BARRIER

Crash protection against falling goods



MORE INFO ▶





GRILL BARRIER

Crash protection against falling goods

Badly stacked goods and falling products can lead to serious accidents. With the GRILL BARRIER, Boplan is launching a safety solution that protects employees from danger both from above and against collisions with vehicles. The GRILL BARRIER made of flexible polymer is particularly user-friendly and can be installed completely independently. Numerous configurations can be made in an instant thanks to the ingenious, modular design. The GRILL BARRIER is available in 2 versions: TB 400 GRILL and TB 400 Double GRILL.





TB400 GRILL



► The TB 400 GRILL with single tube protects people against the impact of forklifts and falling goods. Depending on the size of the (stacked) goods, one can opt for an arrangement with a centre distance between the rails of 275 mm or 550 mm (max. height: 3,075 mm).

TB400 DOUBLE GRILL



► TB 400 DOUBLE GRILL is an extremely robust, double traffic barrier for collision protection against heavy vehicles and (falling) goods. The TB double-tube guardrail offers pedestrians increased safety in storage areas with a lot of forklift traffic. Depending on the size of the (stacked) goods, one can opt for an arrangement with a centre distance between the rails of 275 mm or 550 mm (max. Height: 3,350 mm).

FEATURES:

- Protection against badly stacked or falling goods
- Crash protection for zones with forklift traffic
- Clear segregation of pedestrian zones and forklift traffic
- Active memory: returns to its original shape after impact


APPLICATIONS / TYPICAL ENVIRONMENTS:

- Distribution centres
- Inbound and outbound goods flows
- Warehouses and storage facilities
- Transport and logistics centres

ALSO AVAILABLE

HP GRILL

► HP GRILL was designed to protect people against falling products in zones without forklift traffic. This separate shielding ensures a clear segregation between people and (stacked) goods. Depending on the size of the goods, one can opt for an arrangement with a centre distance between the rails of 275 mm or 550 mm (max. Height: 2,800 mm).





for more information about our products,
services and worldwide dealer network



Boplan - Headquarter
Muizelstraat 12
8560 Moorsele (Belgium)

T +32 (0)56 20 64 20
E info@boplan.com



Boplan France
617, Avenue de Bayonne
64210 Bidart

T +33 (0)1 80 88 47 32
E info@boplan.fr



Boplan Germany
IHP-Nord · Babenhäuser Str. 50
63762 Großostheim

T +49 (0)6026 999 51 90
E info@boplan.de



Boplan Netherlands
Toermalijnring 100
3316 LC Dordrecht

T +31 (0)85 13 07 500
E info@boplan.nl



Boplan Spain
Pl Ramon Berenguer el Gran, 1
08002 Barcelona

T +34 936 81 66 88
E info@boplan.es



Boplan UK
Science Centre, Wolverhampton Science Park
Glaisher Drive, Wolverhampton WV10 9RU

T +44 (0)1902 82 4280
E info@boplan.co.uk



Boplan USA
2600 Northlake Drive
Suwanee, GA 30024

T +1 678-890-5906
E info@boplan.us

FOLLOW US

DISCOVER OUR COMPLETE RANGE:



Modular crash protection
made from flexible polymer



Industrial safety gates
for robust fall protection



Wear-free anti-skid solutions
to prevent falling and slipping



Indestructible floor markings
with a professional look



Protective bumpers
to prevent injuries or damage

